

# BACKFLOW PREVENTION PRODUCTS



## PRICE LIST

Effective May 31, 2011

**All prices supersede previous issues, are temporary  
and subject to change without notice.**

Now includes our

**LEAD FREE\***

product offering

# INDEX

	Page		Page
<b>Single Detector Check Valves</b>		<b>Reduced Pressure Detector Assemblies</b>	
1000SS DCV ..... (Stainless Steel Body) .....	4	C-500 ..... (Stainless Steel Body) .....	20-21
1000 DCV ..... (Fusion Bonded Epoxy Steel Body) .....	4	M-500 ..... (Stainless Steel Body) .....	21-22
1005 DCV ..... (Fusion bonded Epoxy Steel Body) .....	5	5000SS ..... (Stainless Steel Body) .....	22-23
1010 DCV ..... (Fusion Bonded Epoxy Steel Body) .....	5	5000CIV ..... (Cast Iron Body Epoxy Coated) .....	23
1000 DCV ..... (Cast Iron Body) .....	5		
ACVW-125 ..... (Cast Iron Body) .....	5	<b>Dual Checks</b>	
<b>In-Building Risers</b>		20 ..... Dual Check Valves .....	24
Stainless Steel . .....	5	L20 ..... Dual Check Valves-In-Line Testable.....	24
<b>Double Check Valve Assemblies</b>		Cu20 ..... Copper Dual Check Valves .....	24
200B ..... (Bronze Body) .....	6	20S ..... Residential Fire Line Dual Check Valves .....	24
2000B ..... (Bronze Body) .....	7		
C-200 ..... (Stainless Steel Body) .....	8	<b>Miscellaneous Backflow Products</b>	
M-200 ..... (Stainless Steel Body) .....	9	A100 ..... Atmospheric Vacuum Breaker .....	25
2000SS ..... (Stainless Steel Body) .....	10	A200 ..... Pressure Vacuum Breaker .....	25
<b>Double Check Detector Assemblies</b>		FFF/FPP ..... Irrigation galvanized Swing Spring Check Valve .....	25
3000B ..... (Bronze Body) .....	11-12	ASCV ..... Anti-siphon Check Valve .....	25
C-300 ..... (Stainless Steel Body) .....	12	6000 HMB,	
M-300 ..... (Stainless Steel Body) .....	12-13	4000 BLT ..... Hydrant Meter Backflow .....	25
3000SS ..... (Stainless Steel Body) .....	13-14		
<b>Reduced Pressure Zone Assemblies</b>		<b>Miscellaneous Products</b>	
400B ..... (Bronze Body) .....	15	8000-F/8000-G . Stainless Steel Wye Strainers.....	26
4000B ..... (Bronze Body) .....	16	A777SI ..... Bronze Wye Strainers.....	26
C-400 ..... (Stainless Steel Body) .....	17	7001/7002 ..... Basket Strainers .....	26
M-400 ..... (Stainless Steel Body) .....	17-18		
4000SS ..... (Stainless Steel Body) .....	18-19	<b>Accessories</b>	
4000CIV ..... (Cast Iron Body) .....	19	Air gaps.....	27
		Elbows .....	27
		Test cocks .....	27
		Test Kit.....	27
		Meters.....	27
		Spools/Flanges.....	27

# Electronic is Green!

**For the latest Ames pricing information in electronic format, visit our Data Exchange at:**

<http://www.amesfirewater.com/dataexchange/>

- Download product and list price data in .csv, .pdf, .tsv, .xls and .xml formats
- Easy access to list price data for business systems
- Receive e-mail alerts when data is updated
- Bundle Ames product line data files for easy download

- Freight Terms:** All shipments are F.O.B. shipping point. Shipments from factory less than 1000 lbs. are F.O.B. factory. Factory shipments OF \$5000 and over within the continental U.S.A. will be prepaid and allowed when made at the lowest motor carrier transportation rate.
- Terms of Sale:** All sales are F.O.B. shipping point.
- Payment Terms:** The invoices are due and payable 30 days from the date of invoice, A 2% cash discount allowed on net amount of invoice if paid on or before the 10th of the following month. Invoices dated on or after the 25th will be considered as dated the first of the next month. Postmark on envelope will be considered date of check.
- Purchase Order Forms:** Orders submitted on customers own purchase order forms will be accepted only with the express understanding that no statements, clauses, or conditions contained in said order form will be binding on the Seller if they in any way modify the Seller's own terms and conditions of sales.
- Stocking Wholesaler Minimum Charge:** A minimum billing charge of \$100.00 applies to shipments F.O.B. factory. Stocking Wholesalers Customers are encouraged to order sufficient materials to avoid this charge which is necessitated by costs of processing small orders.
- Minimum Charge:** A minimum billing charge of \$100.00 applies to shipments F.O.B. factory, necessitated by costs of processing small orders.
- Special Products:** Orders for special or modified products are non-cancelable.
- Limited Warranty:** Ames Company warrants each product to be free from defects in material and workmanship under normal usage for a period of one year from the date of original shipment. In the event of such defects within the warranty period, the Company will, at its option, replace or recondition the product without charge.
- THE WARRANTY SET FORTH HEREIN IS GIVEN EXPRESSLY AND IS THE ONLY WARRANTY GIVEN BY THE COMPANY WITH RESPECT TO THE PRODUCT. THE COMPANY MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED. THE COMPANY HEREBY SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.**
- The remedy described in the first paragraph of this warranty shall constitute the sole and exclusive remedy for breach of warranty, and the Company shall not be responsible for any incidental, special or consequential damages, including without limitation, lost profits or the cost of repairing or replacing other property which is damaged if this product does not work properly, other costs resulting from labor charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemical, or any other circumstances over which the Company has no control. This warranty shall be invalidated by any abuse, misuse, misapplication, improper installation or improper maintenance or alteration of the product.
- Some States do not allow limitations on how long an implied warranty lasts, and some States do not allow the exclusion or limitation of incidental or consequential damages. Therefore the above limitations may not apply to you. This Limited Warranty gives you specific legal rights, and you may have other rights that vary from State to State. You should consult applicable state laws to determine your rights. **SO FAR AS IS CONSISTENT WITH APPLICABLE STATE LAW, ANY IMPLIED WARRANTIES THAT MAY NOT BE DISCLAIMED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO ONE YEAR FROM THE DATE OF ORIGINAL SHIPMENT.**
- Service Policy:** For inoperative products beyond the warranty period, we assume no liability for replacement of valves due to service conditions beyond our control.
- Returned Goods:** No material shall be returned without authorization. When credit is issued it will be at the price charged, or prevailing price if lower, less handling charged based on costs of reconditioning, boxing, etc. Products which are obsolete or made to special order are not returnable.
- Note:** Prices and terms are subject to change without notice and supersede all previous quotations. The right is reserved to change or modify products design or construction without prior notice and without incurring any obligation to make such changes and modifications on products previously or subsequently sold.

# SINGLE DETECTOR CHECK VALVES



4" – 6" 1000SS-DCV



8" – 10" 1000SS-DCV








1000-DCV

Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
<b>1000SS DCV - Stainless Steel Bodies, Drilled, tapped and plugged for right or left bypass line.</b>						
<b>125# flanged end connections. *UL/FM ♦UL</b>						
1000SS-DCV♦	0690829	–	4"	1	54	\$ 1627.00
1000SS-DCV♦	0690836	–	6"	1	86	2408.20
1000SS-DCV*	0690869	–	8"	1	139	3906.10
1000SS-DCV*	0690870	–	10"	1	161	7106.00
1000SS-DCV w/bypass-CFM/GPM♦	0690972	0690831	4"	1	59	2254.55
1000SS-DCV w/bypass-CFM/GPM♦	0690973	0690837	6"	1	91	3044.00
1000SS-DCV w/bypass-CFM/GPM*	0691522	0691520	8"	1	160	4581.55
1000SS-DCV w/bypass-CFM/GPM*	0691523	0691521	10"	1	174	7926.95
<b>Less meter</b>						
1000SS-DCV w/bypass-LM♦	0691702	–	4"	1	57	2160.95
1000SS-DCV w/bypass-LM♦	0691703	–	6"	1	89	2950.55
1000SS-DCV w/bypass-LM*	0691719	–	8"	1	158	4488.10
1000SS-DCV w/bypass-LM*	0691720	–	10"	1	172	7833.30
<b>1000 DCV - Fusion Bonded Epoxy Steel Bodies, Drilled, tapped and plugged for right or left bypass line.</b>						
<b>125# flanged end connections. UL/FM.</b>						
1000-DCV	0690264	–	4"	1	65	1797.95
1000-DCV	0690265	–	6"	1	101	2660.45
1000-DCV	0690266	–	8"	1	159	4316.75
1000-DCV	0690267	–	10"	1	184	7850.45
1000-DCV (Not UL/FM)	0691678	–	12"	1	190	11,602.00
1000-DCV w/bypass-CFM/GPM	0690871	0690312	4"	1	75	2491.00
1000-DCV w/bypass-CFM/GPM	0690872	0690313	6"	1	111	3364.30
1000-DCV w/bypass-CFM/GPM	0690873	0690314	8"	1	169	5061.40
1000-DCV w/bypass-CFM/GPM	0690874	0690315	10"	1	194	8757.90
<b>Less meter</b>						
1000-DCV w/bypass-LM	7016184	–	4"	1	73	2394.55
1000-DCV w/bypass-LM	7016185	–	6"	1	109	3267.70
1000-DCV w/bypass-LM	7016186	–	8"	1	167	4964.70
1000-DCV w/bypass-LM	7016187	–	10"	1	192	8661.55


GPM - Gallons per minute  
 CPM - Cubic Feet per minute  
 LM - Less Meter

# SINGLE DETECTOR CHECK VALVES AND IN-BUILDING RISERS




	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 1005-DCV	<b>1005 DCV - Fusion Bonded Epoxy Steel Bodies, Drilled, tapped and plugged for right or left bypass line. 125# flanged x Grooved end connections.</b>						
	1005-DCV	0690612	-	4"	1	61	\$ 1852.00
	1005-DCV	0690629	-	6"	1	96	2740.15
	1005-DCV w/bypass-CFM/GPM	0690952	0690613	4"	1	74	2565.85
	1005-DCV w/bypass-CFM/GPM	0690960	0690630	6"	1	101	3465.10
	<b>Less meter</b>						
	1005-DCV w/bypass-LM	0691558	-	4"	1	72	2466.20
	1005-DCV w/bypass-LM	0691559	-	6"	1	99	3365.50
	 1010-DCV	<b>1010 DCV - Fusion Bonded Epoxy Steel Bodies, Drilled, tapped and plugged for right or left bypass line. Groove x Groove end connections.</b>					
		1010-DCV	0690614	-	4"	1	63
1010-DCV		0690631	-	6"	1	96	2740.15
1010-DCV w/bypass-CFM/GPM		0690953	0690615	4"	1	63	2565.85
1010-DCV w/bypass-CFM/GPM		0690961	0690632	6"	1	101	3465.10
<b>Less meter</b>							
1010-DCV w/bypass-LM		7016189	-	4"	1	61	2466.20
1010-DCV w/bypass-LM		7016190	-	6"	1	99	3365.50
 1000-DCV		<b>1000 DCV - CAST IRON BODIES - AVAILABLE WITH FLANGED OR THREADED END CONNECTIONS.</b>					
		1000-DCV-FLG	0690259	-	2"	1	31
	1000-DCV-FLG w/bypass-CFM/GPM	0690868	0690257	1½"	1	31	2046.40
	1000-DCV-FLG w/bypass-CFM/GPM	0691508	0690261	2"	1	38	1955.85
	1000-DCV-THD w/bypass-CFM/GPM	0691507	0690260	2"	1	38	1955.85
	<b>Less meter</b>						
	1000-DCV-FLG w/bypass-LM	7016181	-	1½"	1	29	1946.95
	1000-DCV-FLG w/bypass-LM	0690263	-	2"	1	36	1856.40
	1000-DCV-THD w/bypass-LM	7016182	-	2"	1	36	1856.40
	 ACVW-125	<b>Cast Iron Silent Check Valves</b>					
ACVW-125		0625600	-	2	1	5	427.40
ACVW-125		0625601	-	2½	1	7	509.60
ACVW-125		0625602	-	3	1	11	575.85
ACVW-125		0625603	-	4	1	18	770.80
ACVW-125		0625604	-	5	1	25	1043.25
ACVW-125		0625605	-	6	1	36	1331.25
ACVW-125		0625606	-	8	1	80	2241.55
ACVW-125		0625607	-	10	1	129	3335.60
 In-Building Risers		<b>IN-BUILDING RISERS</b>					
	<b>Stainless Steel</b>						
	6' x 6' Grv x CIPS	0690970	-	4"	7	71	1251.05
	6' x 6' Grv x CIPS	0690969	-	6"	5	98	1815.75
	6' x 6' Grv x CIPS	0690968	-	8"	2	129	2481.80
	6' x 6' Grv x CIPS	0690971	-	10"	1	202	3186.95
	<b>Stainless Steel</b>						
	6' x 6' Flg x CIPS	0691160	-	4"	6	71	1251.05
	6' x 6' Flg x CIPS	0691161	-	6"	5	98	1815.75
	6' x 6' Flg x CIPS	0691162	-	8"	2	129	2481.80
6' x 6' Flg x CIPS	0691163	-	10"	1	202	3186.95	
CIPS - Cast Iron Pipe Size For modified lengths contact factory for pricing.							
*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.							

GPM - Gallons per minute  
CPM - Cubic Feet per minute  
LM - Less Meter


## DOUBLE CHECK VALVE ASSEMBLIES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 <p>200B</p>	<b>DOUBLE CHECK VALVE ASSEMBLIES - Bronze Body</b>						
	<b>With Quarter-Turn Shutoff Valves</b>						
	200B	0064302	—	1/2"	1	3	\$ 362.50
	200B	0064303	—	3/4"	1	5	409.45
	200B	0064304	—	1"	1	8	464.45
	200B	0064305	—	1 1/4"	1	14	682.25
	200B	0064306	—	1 1/2"	1	16	860.30
	200B	0064307	—	2"	1	26	964.50
	<b>With Quarter-Turn Shutoff Valves and Bronze Strainer</b>						
	200B S	0064310	—	1/2"	1	4	452.60
	200B S	0064311	—	3/4"	1	7	452.60
	200B S	0064312	—	1"	1	10	579.90
	200B S	0064313	—	1 1/4"	1	18	919.90
	200B S	0064314	—	1 1/2"	1	20	1138.85
	200B S	0064315	—	2"	1	33	1355.50
	<b>With Locking Handles (open position) padlocks not furnished</b>						
	200B LH	0064395	—	1/2"	1	3	410.60
	200B LH	0064396	—	3/4"	1	5	461.70
	200B LH	0064397	—	1"	1	8	525.85
	200B LH	0064398	—	1 1/4"	1	14	878.90
	200B LH	0064399	—	1 1/2"	1	16	974.90
	200B LH	0064400	—	2"	1	26	1092.50
	<b>With Union Connections, Quarter-Turn Shutoffs and Bronze Strainer</b>						
	U 200B S R10	0064324	—	1/2"	1	8	621.15
	U 200B S R10	0064325	—	3/4"	1	10	640.80
	U 200B S	0064328	—	1"	1	11	715.25
	U 200B S R15	0064329	—	1 1/4"	1	22	1379.95
	U 200B S	0064330	—	1 1/2"	1	24	1501.60
	U 200B S	0064331	—	2"	1	38	1613.45
	<b>With Elbow Fitting for 360° Rotation</b>						
	200B A R10	0064332	—	1/2"	1	4	604.20
	200B A R10	0064333	—	3/4"	1	6	690.35
	200B A	0064336	—	1"	1	9	772.25
	200B A	0064337	—	1 1/4"	1	16	1031.60
	200B A	0064338	—	1 1/2"	1	18	1126.85
200B A	0064339	—	2"	1	29	1424.65	
<b>With Quarter-Turn Shutoff Valves and Cap and Tether</b>							
200B C&T	0064401	—	1/2"	1	3	403.80	
200B C&T	0064402	—	3/4"	1	5	455.95	
200B C&T	0064403	—	1"	1	8	517.30	
200B C&T	0064404	—	1 1/4"	1	14	737.95	
200B C&T	0064405	—	1 1/2"	1	16	930.35	
200B C&T	0064406	—	2"	1	26	1042.70	
<b>Less Ball Valves</b>							
200LBV	0064440	—	1/2"	1	2	361.60	
200LBV	0064441	—	3/4"	1	4	395.65	
200LBV	0064442	—	1"	1	6	409.85	
200LBV	0064443	—	1 1/4"	1	12	618.65	
200LBV	0064444	—	1 1/2"	1	14	811.20	
200LBV	0064445	—	2"	1	22	825.60	




## DOUBLE CHECK VALVE ASSEMBLIES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 <p style="text-align: center;">2000B</p>	<b>With Ball Valves</b>						
	2000B	0062490	–	½"	1	3	\$372.50
	2000B-M3	0062489	–	¾"	1	7	420.55
	2000B	0062492	–	1"	1	10	386.60
	2000B	0062493	–	1¼"	1	23	522.10
	2000B	0062494	–	1½"	1	25	671.10
	2000B	0062495	–	2"	1	26	704.35
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">LEAD FREE*</p>	<b>With Ball Valves</b>						
	LF2000M3-B	0425000	–	¾"	1	7	570.05
	LF2000B	0425001	–	1"	1	10	524.00
	LF2000B	0425002	–	1¼"	1	23	707.75
	LF2000B	0425003	–	1½"	1	25	909.70
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">LEAD FREE*</p>	<b>Less Ball Valves</b>						
	2000B-LBV	0062472	–	½"	1	2	371.55
	2000B-M3-LBV	0062536	–	¾"	1	6	406.50
	2000B-LBV	0062474	–	1"	1	8	374.60
	2000B-LBV	0062475	–	1¼"	1	18	499.75
	2000B-LBV	0062476	–	1½"	1	20	650.75
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">LEAD FREE*</p>	<b>Less Ball Valves</b>						
	LF2000BM3-LBV	0425005	–	¾"	1	6	551.00
	LF2000B-LBV	0425006	–	1"	1	8	507.80
	LF2000B-LBV	0425007	–	1¼"	1	18	677.40
	LF2000B-LBV	0425008	–	1½"	1	20	882.15
	LF2000B-LBV	0425009	–	2"	1	21	914.00
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">LEAD FREE*</p>	<b>With Locking Handle Ball Valves</b>						
	2000B-LH	0062060	–	½"	1	3	459.65
	2000B-M3-LH	0062535	–	¾"	1	9	476.60
	2000B-LH	0062062	–	1"	1	10	546.75
	2000B-LH	0062045	–	1¼"	1	23	737.75
	2000B-LH	0062063	–	1½"	1	25	950.15
	2000B-LH	0062064	–	2"	1	26	1162.40
	<b>With Inlet/Outlet Gear Operated Slow Close Isolation Valves</b>						
2000BFP-75	0062539	–	¾"	1	9.1	553.50	
2000BFP-0100	0062540	–	1"	1	12.6	600.45	
2000BFP-0125	0062541	–	1¼"	1	19.6	743.50	
2000BFP-0150	0062542	–	1½"	1	21.2	877.15	
2000BFP-0200	0062543	–	2"	1	27.65	1010.85	
 <p style="text-align: center;">2000B-LH</p>	<b>With quarter-turn shutoff valves. Inlet/Outlet fire hydrant fittings (2½" inlet female hose thread swivel x 2½" outlet male NST)</b>						
	2000B-HC	0691939	–	2"	1	31	2545.00
 <p style="text-align: center;">2000B-HC</p>	*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.						

# DOUBLE CHECK VALVE ASSEMBLIES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 C-200-OSY	<b>DOUBLE CHECK VALVE ASSEMBLY - Stainless Steel Body</b>						
	<b>With OSY resilient seated shutoff valves</b>						
	C-200-OSY	0191198	–	2½"	1	125	\$ 3269.05
	C-200-OSY	0191199	–	3"	1	145	3328.65
	C-200-OSY	0191200	–	4"	1	161	3930.45
	C-200-OSY	0191201	–	6"	1	295	6145.90
	C-200-OSY	0191202	–	8"	1	480	12,151.80
	C-200-OSY	0191203	–	10"	1	781	19,203.65
	<b>N-Pattern with OSY resilient seated shutoff valves</b>						
	C-200N-OSY	0191204	–	2½"	1	133	3526.55
	C-200N-OSY	0191205	–	3"	1	158	3600.10
	C-200N-OSY	0191206	–	4"	1	184	4299.65
	C-200N-OSY	0191207	–	6"	1	336	6848.70
	C-200N-OSY	0191208	–	8"	1	555	13,488.60
	C-200N-OSY	0191209	–	10"	1	950	22,598.85
<b>DOUBLE CHECK VALVE ASSEMBLIES - Stainless Steel Body</b>							
<b>With NRS resilient seated shutoff valves</b>							
C-200-NRS	0191210	–	2½"	1	115	3144.05	
C-200-NRS	0191211	–	3"	1	131	3175.75	
C-200-NRS	0191212	–	4"	1	161	3719.30	
C-200-NRS	0191213	–	6"	1	273	5981.95	
C-200-NRS	0191214	–	8"	1	438	11,990.95	
C-200-NRS	0191215	–	10"	1	721	16,876.45	
<b>N-Pattern with NRS resilient seated shutoff valves</b>							
C-200N-NRS	0191216	–	2½"	1	123	3395.25	
C-200N-NRS	0191217	–	3"	1	144	3439.35	
C-200N-NRS	0191218	–	4"	1	184	4077.85	
C-200N-NRS	0191219	–	6"	1	314	6676.60	
C-200N-NRS	0191220	–	8"	1	513	13,319.85	
C-200N-NRS	0191221	–	10"	1	891	20,155.25	
<b>With gear operator, UL/FM Butterfly valves</b>							
C-200-BFG	0191222	–	2½"	1	56	3638.95	
C-200-BFG	0191223	–	3"	1	54	3698.65	
C-200-BFG	0191224	–	4"	1	61	4302.15	
C-200-BFG	0191225	–	6"	1	150	6525.05	
C-200-BFG	0191419	–	8"	1	400	12,530.80	
<b>N-Pattern with gear operator, UL/FM Butterfly valves</b>							
C-200N-BFG	0191226	–	2½"	1	64	3914.90	
C-200N-BFG	0191227	–	3"	1	67	3988.35	
C-200N-BFG	0191228	–	4"	1	84	4688.05	
C-200N-BFG	0191229	–	6"	1	157	7246.75	
C-200N-BFG	0191420	–	8"	1	337	13,886.85	
<p>*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.</p>							

# DOUBLE CHECK VALVE ASSEMBLIES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 <p style="text-align: center;">C-200N(a)-BFG</p>  <p style="text-align: center;">M-200-OSY</p>  <p style="text-align: center;">M-200-BFG</p>	<b>DOUBLE CHECK VALVE ASSEMBLIES - Stainless Steel Body</b>						
	<b>With OSY resilient seated shutoff valves</b>						
	LEAD FREE*	M-200-OSY	0191000	–	2½"	1	\$ 3562.45
		M-200-OSY	0191001	–	3"	1	3740.55
		M-200-OSY	0191002	–	4"	1	4416.40
		M-200-OSY	0191003	–	6"	1	6947.40
		M-200-OSY	0191004	–	8"	1	13,397.65
		M-200-OSY	0191005	–	10"	1	22,953.80
	LEAD FREE*	<b>N-Pattern with OSY resilient seated shutoff valves</b>					
		M-200N-OSY	0191006	–	2½"	1	3916.60
		M-200N-OSY	0191007	–	3"	1	3998.30
		M-200N-OSY	0191008	–	4"	1	4775.15
		M-200N-OSY	0191009	–	6"	1	7606.35
		M-200N-OSY	0191010	–	8"	1	14,980.50
		M-200N-OSY	0191011	–	10"	1	25,098.75
	LEAD FREE*	<b>With NRS resilient seated shutoff valves</b>					
		M-200-NRS	0191012	–	2½"	1	3430.05
		M-200-NRS	0191013	–	3"	1	3715.25
		M-200-NRS	0191014	–	4"	1	4179.30
		M-200-NRS	0191015	–	6"	1	6721.20
	M-200-NRS	0191016	–	8"	1	13,253.75	
	M-200-NRS	0191017	–	10"	1	18,472.20	
LEAD FREE*	<b>N-Pattern with NRS resilient seated shutoff valves</b>						
	M-200N-NRS	0191018	–	2½"	1	3770.80	
	M-200N-NRS	0191019	–	3"	1	3819.80	
	M-200N-NRS	0191020	–	4"	1	4529.05	
	M-200N-NRS	0191021	–	6"	1	7415.10	
	M-200N-NRS	0191022	–	8"	1	14,793.30	
	M-200N-NRS	0191023	–	10"	1	22,384.80	
LEAD FREE*	<b>With gear operator, UL/FM Butterfly valves</b>						
	M-200-BFG	0191024	–	2½"	1	3954.30	
	M-200-BFG	0191025	–	3"	1	4132.40	
	M-200-BFG	0191026	–	4"	1	4808.05	
	M-200-BFG	0191027	–	6"	1	7349.00	
	M-200-BFG	0191425	–	8"	1	13,799.40	
LEAD FREE*	<b>N-Pattern with gear operator, UL/FM Butterfly valves</b>						
	M-200N-BFG	0191028	–	2½"	1	4316.05	
	M-200N-BFG	0191029	–	3"	1	4397.55	
	M-200N-BFG	0191030	–	4"	1	5174.60	
	M-200N-BFG	0191031	–	6"	1	8015.80	
	M-200N-BFG	0191426	–	8"	1	15,390.15	
*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.							






## DOUBLE CHECK VALVE ASSEMBLIES



2000SS-OSY

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	<b>DOUBLE CHECK VALVE ASSEMBLIES - Stainless Steel Body</b>					
	<b>Less shutoff valves</b>					
	2000SS-LG	0690471	2½"	1	45	2311.35
	2000SS-LG	0690480	3"	1	50	2228.90
	2000SS-LG	0690489	4"	1	75	2816.70
	2000SS-LG	0690499	6"	1	112	4650.85
	2000SS-LG	0690452	8"	1	205	9909.75
	2000SS-LG	0690529	10"	1	220	12,798.90
	2000SS-LG	0690562	12"	1	240	18,037.45
	<b>With OSY resilient seated shutoff valves</b>					
	2000SS-OSY	0690472	2½"	1	198	3519.30
	2000SS-OSY	0690481	3"	1	235	3670.35
	2000SS-OSY	0690490	4"	1	301	4362.75
	2000SS-OSY	0690500	6"	1	458	6863.60
	2000SS-OSY	0690453	8"	1	720	13,235.80
	2000SS-OSY	0690530	10"	1	1080	18,581.30
	D 2000SS-OSY	0690563	12"	1	1440	25,362.45
	<b>With NRS resilient seated shutoff valves</b>					
	2000SS-NRS	0690473	2½"	1	195	3490.20
	2000SS-NRS	0690482	3"	1	230	3806.20
	2000SS-NRS	0690491	4"	1	293	4252.60
	2000SS-NRS	0690501	6"	1	458	6839.40
	2000SS-NRS	0690454	8"	1	710	13,486.40
	2000SS-NRS	0690531	10"	1	1080	18,249.85
	D 2000SS-NRS	0690564	12"	1	1440	23,903.75
	<b>†With OSY resilient seated shutoff valves - Groove Inlet x Groove Outlet</b>					
	D 2000SS-OSY-GxG	0690770	2½"	1	198	\$3519.30
	D 2000SS-OSY-GxG	0690773	3"	1	235	3670.35
	D 2000SS-OSY-GxG	0690776	4"	1	301	4362.75
	D 2000SS-OSY-GxG	0690779	6"	1	458	6863.60
	D 2000SS-OSY-GxG	0690782	8"	1	720	13,235.80
	D 2000SS-OSY-GxG	0690785	10"	1	1080	18,581.30
	<b>†With OSY resilient seated shutoff valves - Groove Inlet x Flange Outlet</b>					
	D 2000SS-OSY-GxF	0690771	2½"	1	198	3519.30
	D 2000SS-OSY-GxF	0690774	3"	1	235	3670.35
	D 2000SS-OSY-GxF	0690777	4"	1	301	4362.75
	D 2000SS-OSY-GxF	0690780	6"	1	458	6863.60
	D 2000SS-OSY-GxF	0690783	8"	1	720	13,235.80
	D 2000SS-OSY-GxF	0690786	10"	1	1080	18,581.30
	<b>†With OSY resilient seated shutoff valves - Flange Inlet x Groove Outlet</b>					
	D 2000SS-OSY-FxG	0690772	2½"	1	198	3519.30
	D 2000SS-OSY-FxG	0690775	3"	1	235	3670.35
	D 2000SS-OSY-FxG	0690778	4"	1	301	4362.75
	D 2000SS-OSY-FxG	0690781	6"	1	458	6863.60
	D 2000SS-OSY-FxG	0690784	8"	1	720	13,235.80
	D 2000SS-OSY-FxG	0690787	10"	1	1080	18,581.30
	†The backflow preventer body is always flanged.					
	*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.					


## DOUBLE CHECK VALVE ASSEMBLIES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 <p style="text-align: center;">3000B</p>  <p style="text-align: center;">3000B-FP</p>  <p style="text-align: center;">C-300-OSY</p>  <p style="text-align: center;">C-300N(a)-OSY</p>  <p style="text-align: center;">C-300-BFG</p>	<b>DOUBLE CHECK DETECTOR ASSEMBLIES - Bronze Body</b>						
	3000B-OSY-CFM/GPM	0062497	0062498	2"	1	155	\$7487.85
	<b>Less meter</b> 3000B-OSY-LM	0691911	—	2"	1	153	7369.65
	<b>With Inlet/Outlet Gear Operated Slow Close Isolation Valves</b>						
	3000BFPCFM/GPM-0200	0062522	0062523	2"	1	125	2614.60
	<b>DOUBLE CHECK DETECTOR ASSEMBLIES - Stainless Steel Body</b>						
	<b>With NRS resilient seated shutoff valves</b>						
	C-300-NRS-CFM/GPM	0191435	0191440	2½"	1	129	4460.75
	C-300-NRS-CFM/GPM	0191436	0191441	3"	1	145	4910.35
	C-300-NRS-CFM/GPM	0191437	0191442	4"	1	175	5710.75
	C-300-NRS-CFM/GPM	0191438	0191443	6"	1	287	7323.05
	C-300-NRS-CFM/GPM	0191439	0191444	8"	1	452	13,297.45
	<b>With OSY resilient seated shutoff valves</b>						
	C-300-OSY-CFM/GPM	0191230	0191236	2½"	1	139	4716.95
	C-300-OSY-CFM/GPM	0191231	0191237	3"	1	159	5202.70
C-300-OSY-CFM/GPM	0191232	0191238	4"	1	175	6024.35	
C-300-OSY-CFM/GPM	0191233	0191239	6"	1	309	7638.65	
C-300-OSY-CFM/GPM	0191234	0191240	8"	1	494	13,149.10	
C-300-OSY-CFM/GPM	0191235	0191241	10"	1	795	19,323.55	
<b>N-Pattern with OSY resilient seated shutoff valves</b>							
C-300N-OSY-CFM/GPM	0191242	0191248	2½"	1	147	5046.85	
C-300N-OSY-CFM/GPM	0191243	0191249	3"	1	172	5567.75	
C-300N-OSY-CFM/GPM	0191244	0191250	4"	1	198	6498.35	
C-300N-OSY-CFM/GPM	0191245	0191251	6"	1	350	8416.20	
C-300N-OSY-CFM/GPM	0191246	0191252	8"	1	569	14,535.95	
C-300N-OSY-CFM/GPM	0191247	0191253	10"	1	965	22,724.70	
<b>With gear operator, UL/FM Butterfly valves</b>							
C-300-BFG-CFM/GPM	0191254	0191258	2½"	1	70	5086.60	
C-300-BFG-CFM/GPM	0191255	0191259	3"	1	68	5572.65	
C-300-BFG-CFM/GPM	0191256	0191260	4"	1	75	6394.25	
C-300-BFG-CFM/GPM	0191257	0191261	6"	1	175	8017.75	
C-300-BFG-CFM/GPM	0191421	0191422	8"	1	275	13,528.30	
<b>N-Pattern with gear operator, UL/FM Butterfly valves</b>							
C-300N-BFG-CFM/GPM	0191262	0191266	2½"	1	78	5435.10	
C-300N-BFG-CFM/GPM	0191263	0191267	3"	1	81	5956.00	
C-300N-BFG-CFM/GPM	0191264	0191268	4"	1	98	6886.70	
C-300N-BFG-CFM/GPM	0191265	0191269	6"	1	171	8814.25	
C-300N-BFG-CFM/GPM	0191423	0191424	8"	1	351	14,934.40	

(LM) = Less Meter  
(CFM) = Cubic Feet Meter  
(GPM) = Gallons Per Minute Meter

## DOUBLE CHECK DETECTOR ASSEMBLIES

Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
<b>DOUBLE CHECK DETECTOR ASSEMBLIES - Stainless Steel Body</b>						
<b>With NRS resilient seated shutoff valves and less meter</b>						
C-300-NRS-LM	0206555	–	2½"	1	127	4351.10
C-300-NRS-LM	0206556	–	3"	1	143	4800.55
C-300-NRS-LM	0206557	–	4"	1	173	5600.95
C-300-NRS-LM	0206558	–	6"	1	285	7213.30
C-300-NRS-LM	0206559	–	8"	1	450	13,187.65
<b>With OSY resilient seated shutoff valves and less meter</b>						
C-300-OSY-LM	0206560	–	2½"	1	137	4607.20
C-300-OSY-LM	0206561	–	3"	1	157	5092.95
C-300-OSY-LM	0206562	–	4"	1	173	5914.65
C-300-OSY-LM	0206563	–	6"	1	307	7528.80
C-300-OSY-LM	0206564	–	8"	1	492	13,039.50
C-300-OSY-LM	0206565	–	10"	1	793	19,213.70
<b>N-Pattern with OSY resilient seated shutoff valves and less meter</b>						
C-300N-OSY-LM	0206566	–	2½"	1	145	4931.60
C-300N-OSY-LM	0206567	–	3"	1	170	5452.50
C-300N-OSY-LM	0206568	–	4"	1	196	6383.05
C-300N-OSY-LM	0206569	–	6"	1	348	8300.85
C-300N-OSY-LM	0206570	–	8"	1	567	14,420.75
C-300N-OSY-LM	0206571	–	10"	1	963	22,609.60
<b>With gear operator, UL/FM Butterfly valves and less meter</b>						
C-300-BFG-LM	0206572	–	2½"	1	68	4976.90
C-300-BFG-LM	0206573	–	3"	1	66	5462.85
C-300-BFG-LM	0206574	–	4"	1	73	6284.60
C-300-BFG-LM	0206575	–	6"	1	129	7908.25
C-300-BFG-LM	0206576	–	8"	1	273	13,418.55
<b>N-Pattern with gear operator, UL/FM Butterfly valves and less meter</b>						
C-300N-BFG-LM	0206577	–	2½"	1	76	5319.90
C-300N-BFG-LM	0206578	–	3"	1	79	5840.75
C-300N-BFG-LM	0206579	–	4"	1	96	6771.45
C-300N-BFG-LM	0206580	–	6"	1	169	8699.15
C-300N-BFG-LM	0206581	–	8"	1	349	14,819.05
<b>With OSY resilient seated shutoff valves</b>						
M-300-OSY-CFM/GPM	0191032	0191038	2½"	1	139	5278.25
M-300-OSY-CFM/GPM	0191033	0191039	3"	1	159	6015.00
M-300-OSY-CFM/GPM	0191034	0191040	4"	1	233	7797.75
M-300-OSY-CFM/GPM	0191035	0191041	6"	1	404	8272.15
M-300-OSY-CFM/GPM	0191036	0191042	8"	1	578	14,977.05
M-300-OSY-CFM/GPM	0191037	0191043	10"	1	795	21,488.50
<b>N-Pattern with OSY resilient seated shutoff valves</b>						
M-300N-OSY-CFM/GPM	0191044	0191050	2½"	1	147	5605.05
M-300N-OSY-CFM/GPM	0191045	0191051	3"	1	172	6183.50
M-300N-OSY-CFM/GPM	0191046	0191052	4"	1	256	7217.05
M-300N-OSY-CFM/GPM	0191047	0191053	6"	1	444	9347.25
M-300N-OSY-CFM/GPM	0191048	0191054	8"	1	654	16,143.90
M-300N-OSY-CFM/GPM	0191049	0191055	10"	1	965	25,238.55
<b>With gear operator, UL/FM Butterfly valves</b>						
M-300-BFG-CFM/GPM	0191056	0191060	2½"	1	71	5670.20
M-300-BFG-CFM/GPM	0191057	0191061	3"	1	68	6406.70
M-300-BFG-CFM/GPM	0191058	0191062	4"	1	133	8189.50
M-300-BFG-CFM/GPM	0191059	0191063	6"	1	225	8673.80
M-300-BFG-CFM/GPM	0191427	0191428	8"	1	211	15,378.65



M-300-OSY



M-300-BFG

(LM) = Less Meter  
 (CFM) = Cubic Feet Meter  
 (GPM) = Gallons Per Minute Meter

## DOUBLE CHECK DETECTOR ASSEMBLIES




M-300N(a)-BFG

Model	Ordering Code		Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
<b>DOUBLE CHECK DETECTOR ASSEMBLIES - Stainless Steel Body</b>						
<b>N-Pattern with gear operator, UL/FM Butterfly valves</b>						
M-300N-BFG-CFM/GPM	0191068	0191064	2½"	1	78	\$6004.50
M-300N-BFG-CFM/GPM	0191069	0191065	3"	1	81	6583.10
M-300N-BFG-CFM/GPM	0191070	0191066	4"	1	156	7616.30
M-300N-BFG-CFM/GPM	0191071	0191067	6"	1	265	9756.50
M-300N-BFG-CFM/GPM	0191429	0191430	8"	1	435	16,553.40
<b>With OSY resilient seated shutoff valves and less meter</b>						
M 300-OSY-LM	0206598	—	2½"	1	137	5162.00
M 300-OSY-LM	0206599	—	3"	1	157	5898.70
M 300-OSY-LM	0206600	—	4"	1	231	7681.50
M 300-OSY-LM	0206601	—	6"	1	402	8155.90
M 300-OSY-LM	0206602	—	8"	1	576	14,860.95
M 300-OSY-LM	0206603	—	10"	1	793	21,372.30
<b>N-Pattern with OSY resilient seated shutoff valves and less meter</b>						
M 300N-OSY-LM	0206604	—	2½"	1	145	5486.50
M 300N-OSY-LM	0206605	—	3"	1	170	6065.00
M 300N-OSY-LM	0206606	—	4"	1	254	7098.70
M 300N-OSY-LM	0206607	—	6"	1	442	9228.65
M 300N-OSY-LM	0206608	—	8"	1	652	16,025.55
M 300N-OSY-LM	0206609	—	10"	1	963	25,120.10
<b>With gear operator, UL/FM Butterfly valves and less meter</b>						
M 300-BFG-LM	0206610	—	2½"	1	69	5553.90
M 300-BFG-LM	0206611	—	3"	1	66	6290.45
M 300-BFG-LM	0206612	—	4"	1	131	8073.20
M 300-BFG-LM	0206613	—	6"	1	223	8557.50
M 300-BFG-LM	0206614	—	8"	1	209	15,262.45
<b>N-Pattern with gear operator, UL/FM Butterfly valves and less meter</b>						
M 300N-BFG-LM	0206615	—	2½"	1	76	5885.80
M 300N-BFG-LM	0206616	—	3"	1	79	6464.35
M 300N-BFG-LM	0206617	—	4"	1	154	7498.05
M 300N-BFG-LM	0206618	—	6"	1	263	9638.05
M 300N-BFG-LM	0206619	—	8"	1	433	16,434.90
<b>Less shutoff valves</b>						
3000SS-LG-CFM/GPM	0691052	0690474	2½"	1	50	4012.60
3000SS-LG-CFM/GPM	0691053	0690483	3"	1	55	4065.05
3000SS-LG-CFM/GPM	0691680	0690492	4"	1	85	4793.80
3000SS-LG-CFM/GPM	0690927	0690502	6"	1	124	6040.10
3000SS-LG-CFM/GPM	0690897	0690457	8"	1	215	11,242.60
3000SS-LG-CFM/GPM	0690934	0690532	10"	1	225	14,468.05
D 3000SS-LG-CFM/GPM	0690948	0690565	12"	1	248	19,001.80
<b>Less shutoff valves, less meter</b>						
3000SS-LG-LM	0691577	—	2½"	1	48	3922.05
3000SS-LG-LM	0691580	—	3"	1	53	3974.40
3000SS-LG-LM	0691583	—	4"	1	83	4703.25
3000SS-LG-LM	0691544	—	6"	1	121	5949.45
3000SS-LG-LM	0691541	—	8"	1	213	11,152.10
3000SS-LG-LM	0691550	—	10"	1	223	14,377.45
D 3000SS-LG-LM	0691554	—	12"	1	246	18,911.20

(LM) = Less Meter  
(CFM) = Cubic Feet Meter  
(GPM) = Gallons Per Minute Meter

## DOUBLE CHECK DETECTOR ASSEMBLIES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 <p>3000SS-OSY</p>	<b>DOUBLE CHECK DETECTOR ASSEMBLIES - Stainless Steel Body</b>						
	<b>With OSY resilient seated shutoff valves</b>						
	3000SS-OSY-CFM/GPM	0690980	0690475	2½"	1	212	\$5214.60
	3000SS-OSY-CFM/GPM	0690984	0690484	3"	1	248	5444.05
	3000SS-OSY-CFM/GPM	0690988	0690493	4"	1	308	6303.90
	3000SS-OSY-CFM/GPM	0690928	0690503	6"	1	468	8172.15
	3000SS-OSY-CFM/GPM	0690898	0690458	8"	1	732	14,796.15
	3000SS-OSY-CFM/GPM	0690935	0690533	10"	1	1090	20,220.25
	D 3000SS-OSY-CFM/GPM	0690949	0690566	12"	1	1450	26,092.80
	<b>With OSY resilient seated shutoff valves - Groove Inlet x Groove Outlet</b>						
	D 3000SS-OSY GxG CFM/GPM	0696000	0696001	2½"	1	212	5214.60
	D 3000SS-OSY GxG CFM/GPM	0696006	0696007	3"	1	248	5444.05
	D 3000SS-OSY GxG CFM/GPM	0696012	0696013	4"	1	308	6303.90
	D 3000SS-OSY GxG CFM/GPM	0696018	0696019	6"	1	468	8172.15
	D 3000SS-OSY GxG CFM/GPM	0696024	0696025	8"	1	732	14,796.15
	D 3000SS-OSY GxG CFM/GPM	0696030	0696031	10"	1	1090	20,220.25
	<b>*With OSY Resilient Seated Shutoff Valves - Groove Inlet x Flange Outlet</b>						
	D 3000SS OSY GxG CFM/GPM	0696002	0696003	2½"	1	212	5214.60
	D 3000SS OSY GxG CFM/GPM	0696008	0696009	3"	1	248	5444.05
	D 3000SS OSY GxG CFM/GPM	0696014	0696015	4"	1	308	6303.90
	D 3000SS OSY GxG CFM/GPM	0696020	0696021	6"	1	468	8172.15
	D 3000SS OSY GxG CFM/GPM	0696026	0696027	8"	1	732	14,796.15
	D 3000SS OSY GxG CFM/GPM	0696032	0696033	10"	1	1090	20,220.25
	<b>*With OSY Resilient Seated Shutoff Valves - Flange Inlet x Groove Outlet</b>						
	D 3000SS OSY FxG CFM/GPM	0696004	0696005	2½"	1	212	5214.60
	D 3000SS OSY FxG CFM/GPM	0696010	0696011	3"	1	248	5444.05
	D 3000SS OSY FxG CFM/GPM	0696016	0696017	4"	1	308	6303.90
	D 3000SS OSY FxG CFM/GPM	0696022	0696023	6"	1	468	8172.15
D 3000SS OSY FxG CFM/GPM	0696028	0696029	8"	1	732	14,796.15	
D 3000SS OSY FxG CFM/GPM	0696034	0696035	10"	1	1090	20,220.25	
* The backflow preventer body is always flanged.							
<b>With OSY resilient seated shutoff valves and less Meter</b>							
3000SS-OSY-LM	0691561	-	2½"	1	210	5124.05	
3000SS-OSY-LM	0691563	-	3"	1	245	5353.35	
3000SS-OSY-LM	0691565	-	4"	1	305	6213.25	
3000SS-OSY-LM	0691545	-	6"	1	465	8081.65	
3000SS-OSY-LM	0691542	-	8"	1	717	14,705.50	
3000SS-OSY-LM	0691551	-	10"	1	1087	20,129.55	
D 3000SS-OSY-LM	0691555	-	12"	1	1448	26,002.10	
<b>With NRS resilient seated shutoff valves</b>							
3000SS-NRS-CFM/GPM	0690981	0690476	2½"	1	212	5094.30	
3000SS-NRS-CFM/GPM	0690985	0690485	3"	1	248	5318.55	
3000SS-NRS-CFM/GPM	0690989	0690494	4"	1	308	6486.85	
3000SS-NRS-CFM/GPM	0690929	0690504	6"	1	468	8317.35	
3000SS-NRS-CFM/GPM	0690899	0690459	8"	1	732	15,109.85	
3000SS-NRS-CFM/GPM	0690936	0690534	10"	1	1090	20,257.55	
<b>With NRS resilient seated shutoff valves less meter</b>							
3000SS-NRS-LM	0691562	-	2½"	1	139	5361.30	
3000SS-NRS-LM	0691564	-	3"	1	206	5480.95	
3000SS-NRS-LM	0691566	-	4"	1	242	6390.95	
3000SS-NRS-LM	0691546	-	6"	1	462	8221.45	
3000SS-NRS-LM	0691543	-	8"	1	726	15,013.55	
3000SS-NRS-LM	0691552	-	10"	1	1084	20,161.30	

(LM) = Less Meter  
(CFM) = Cubic Feet Meter  
(GPM) = Gallons Per Minute Meter





## REDUCED PRESSURE ZONE ASSEMBLIES



400B

Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
<b>REDUCED PRESSURE ZONE ASSEMBLIES - Bronze body</b>					
<b>With Quarter-Turn Shutoff Valves</b>					
400B	0064343	–	¾"	1	\$ 714.65
400B	0064344	–	1"	1	844.00
400B	0064345	–	1¼"	1	1323.80
400B	0064346	–	1½"	1	1386.00
400B	0064347	–	2"	1	1644.75
<b>With Quarter-Turn Shutoff Valves and Bronze Strainer</b>					
400B S	0064351	–	¾"	1	833.25
400B S	0064352	–	1"	1	992.10
400B S	0064353	–	1¼"	1	1526.05
400B S	0064354	–	1½"	1	1671.50
400B S	0064355	–	2"	1	1995.10
<b>Z-Pattern with Quarter-Turn Shutoff Valves</b>					
400B Z	0064426	–	¾"	1	975.05
400B Z	0064427	–	1"	1	982.20
400B Z	0064428	–	1¼"	1	1530.35
400B Z	0064429	–	1½"	1	1667.25
400B Z	0064430	–	2"	1	2068.05
<b>With Locking Handles (open position) padlocks not furnished</b>					
400B LH	0064408	–	¾"	1	717.80
400B LH	0064409	–	1"	1	847.60
400B LH	0064410	–	1¼"	1	1329.80
400B LH	0064411	–	1½"	1	1392.25
400B LH	0064412	–	2"	1	1652.30
<b>With Union Connections and Quarter-Turn Shutoffs</b>					
U 400B R10	0064359	–	¾"	1	785.45
U 400B	0064360	–	1"	1	936.95
U 400B R15	0064361	–	1¼"	1	1442.30
U 400B	0064362	–	1½"	1	1596.80
U 400B	0064363	–	2"	1	1911.05
<b>With Elbow Fitting for 360° Rotation</b>					
400B A	0064367	–	¾"	1	975.05
400B A	0064368	–	1"	1	1046.55
400B A	0064369	–	1¼"	1	1667.25
400B A	0064370	–	1½"	1	1667.25
400B A	0064371	–	2"	1	2068.05
<b>With Union Angle Inlet x Union Angle Outlet</b>					
U400B A R10	0063528	–	¾"	1	811.40
U400B A	0063531	–	1"	1	973.65
U400B A R15	0063532	–	1¼"	1	1495.75
U400B A	0063533	–	1½"	1	1600.95
U400B A	0063534	–	2"	1	1967.30
<b>With Quarter-Turn Shutoff Valves and Cap and Tether</b>					
400B C&T	0064414	–	¾"	1	717.80
400B C&T	0064415	–	1"	1	847.60
400B C&T	0064416	–	1¼"	1	1329.80
400B C&T	0064417	–	1½"	1	1392.25
400B C&T	0064418	–	2"	1	1652.30
<b>Less Ball Valves</b>					
400LBV	0064432	–	¾"	1	691.50
400LBV	0064433	–	1"	1	823.90
400LBV	0064434	–	1¼"	1	1310.20
400LBV	0064435	–	1½"	1	1472.00
400LBV	0064436	–	2"	1	1517.10

# REDUCED PRESSURE ZONE ASSEMBLIES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)		
 <p>4000B</p>  <p>4000B-LH</p>  <p>4000B-HC</p>   <p>C-400-OSY</p>	<b>REDUCED PRESSURE ZONE ASSEMBLIES - Bronze body</b>							
	<b>With Ball Valves</b>							
		4000B	0436090	–	1/2"	1	5	\$ 560.80
		4000B-M3	0436091	–	3/4"	1	11	746.85
		4000B-M2	0436096	–	1"	1	12	882.10
		4000B	0436093	–	1 1/4"	1	28	1383.70
		4000B	0436094	–	1 1/2"	1	29	1493.70
		4000B	0436095	–	2"	1	29.5	1719.20
	LEAD FREE*	<b>With Ball Valves</b>						
		LF4000B	0425014	–	1/2"	1	5	760.35
		LF4000BM2	0425015	–	3/4"	1	11	1012.60
		LF4000BM2	0425016	–	1"	1	12	1196.00
		LF4000B	0425017	–	1 1/4"	1	28	1876.10
		LF4000B	0425018	–	1 1/2"	1	29	2025.25
		LF4000B	0425019	–	2"	1	29	2331.00
		<b>Less Ball Valves</b>						
		4000B-LBV	0437008	–	1/2"	1	4.9	474.15
		4000B-M3-LBV	0437007	–	3/4"	1	9.5	738.55
		4000B-LBV	0437002	–	1"	1	10	861.30
		4000B-M2-LBV	0437016	–	1"	1	10	861.30
		4000B-LBV	0437003	–	1 1/4"	1	11.6	1369.70
		4000B-LBV	0437004	–	1 1/2"	1	11.4	1584.70
		4000B-LBV	0437005	–	2"	1	18.9	1586.00
		<b>With Locking Handle Ball Valves</b>						
		4000B-LH	0062990	–	1/2"	1	5	635.35
	4000B-M3-LH	0437006	–	3/4"	1	11	846.30	
	4000B-LH	0062992	–	1"	1	12	999.50	
	4000B-M2-LH	0437017	–	1"	1	12	999.50	
	4000B-LH	0062993	–	1 1/4"	1	28	1567.70	
	4000B-LH	0062994	–	1 1/2"	1	29	1692.40	
	4000B-LH	0062995	–	2"	1	29	1947.75	
	<b>With Inlet/Outlet fire hydrant fittings (2 1/2" inlet female hose thread swivel x 2 1/2" outlet male NST)</b>							
	4000B-HC	0691938	–	2"	1	37	3291.10	
	<b>With Inlet/Outlet Gear Operated Slow Close Isolation Valves</b>							
	4000BFP-75	0062544	–	3/4"	1	9.35	713.30	
	4000BFP-0100	0062545	–	1"	1	15.2	751.50	
	4000BFP-0125	0062546	–	1 1/4"	1	21.2	980.50	
	4000BFP-0150	0062547	–	1 1/2"	1	22.5	1149.95	
	4000BFP-0200	0062548	–	2"	1	33.3	1293.05	
	<b>REDUCED PRESSURE ZONE ASSEMBLIES - Stainless Steel Body</b>							
	<b>With OSY resilient seated shutoff valves</b>							
	C-400-OSY	0191270	–	2 1/2"	1	128	4007.10	
	C-400-OSY	0191271	–	3"	1	148	4506.85	
	C-400-OSY	0191272	–	4"	1	164	5994.85	
	C-400-OSY	0191273	–	6"	1	298	9502.00	
	C-400-OSY	0191274	–	8"	1	483	16,134.05	
	C-400-OSY	0191275	–	10"	1	783	23,916.65	
LEAD FREE*	<b>N-Pattern with OSY resilient seated shutoff valves</b>							
	C-400N-OSY	0191276	–	2 1/2"	1	136	4493.05	
	C-400N-OSY	0191277	–	3"	1	161	5164.05	
	C-400N-OSY	0191278	–	4"	1	187	6686.25	
	C-400N-OSY	0191279	–	6"	1	339	10,228.55	
	C-400N-OSY	0191280	–	8"	1	558	17,688.30	
	C-400N-OSY	0191281	–	10"	1	950	27,593.55	
	*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.							

# REDUCED PRESSURE ZONE ASSEMBLIES


	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
<b>REDUCED PRESSURE ZONE ASSEMBLIES - Stainless Steel Body</b>						
<b>LEAD FREE*</b>	<b>Z-Pattern with OSY resilient seated shutoff valves</b>					
	C-400Z-OSY	0191282	—	2½"	1	\$ 4493.05
	C-400Z-OSY	0191283	—	3"	1	5164.05
	C-400Z-OSY	0191284	—	4"	1	6686.25
	C-400Z-OSY	0191285	—	6"	1	10,228.55
	C-400Z-OSY	0191286	—	8"	1	17,688.30
<b>LEAD FREE*</b>	<b>With NRS resilient seated shutoff valves</b>					
	C-400-NRS	0191288	—	2½"	1	3965.80
	C-400-NRS	0191289	—	3"	1	4483.40
	C-400-NRS	0191290	—	4"	1	5959.60
	C-400-NRS	0191291	—	6"	1	9078.75
	C-400-NRS	0191292	—	8"	1	15,734.15
<b>LEAD FREE*</b>	<b>N-Pattern with NRS resilient seated shutoff valves</b>					
	C-400N-NRS	0191294	—	2½"	1	4449.80
	C-400N-NRS	0191295	—	3"	1	5067.35
	C-400N-NRS	0191296	—	4"	1	6648.95
	C-400N-NRS	0191297	—	6"	1	9923.95
	C-400N-NRS	0191298	—	8"	1	17,268.05
<b>LEAD FREE*</b>	<b>Z-Pattern with NRS resilient seated shutoff valves</b>					
	C-400Z-NRS	0191300	—	2½"	1	4449.80
	C-400Z-NRS	0191301	—	3"	1	5067.35
	C-400Z-NRS	0191302	—	4"	1	6648.95
	C-400Z-NRS	0191303	—	6"	1	9923.95
	C-400Z-NRS	0191304	—	8"	1	17,268.05
<b>LEAD FREE*</b>	<b>N-Pattern with gear operated, UL/FM Butterfly valves</b>					
	C-400N-BFG	0191416	—	2½"	1	4888.80
	C-400N-BFG	0191417	—	3"	1	5487.70
	C-400N-BFG	0191415	—	4"	1	7081.90
	C-400N-BFG	0191418	—	6"	1	10,634.25
	<b>LEAD FREE*</b>	<b>Z-Pattern with gear operated, UL/FM Butterfly valves</b>				
C-400Z-BFG		0191480	—	2½"	1	5248.10
C-400Z-BFG		0191481	—	3"	1	5895.25
C-400Z-BFG		0191482	—	4"	1	7616.75
C-400Z-BFG		0191483	—	6"	1	11,452.45
<b>LEAD FREE*</b>		<b>With OSY resilient seated shutoff valves</b>				
	M-400-OSY	0191072	—	2½"	1	4329.60
	M-400-OSY	0191073	—	3"	1	4870.55
	M-400-OSY	0191074	—	4"	1	6479.05
	M-400-OSY	0191075	—	6"	1	10,123.85
	M-400-OSY	0191076	—	8"	1	17,435.85
<b>LEAD FREE*</b>	<b>N-Pattern with OSY resilient seated shutoff valves</b>					
	M-400N-OSY	0191078	—	2½"	1	4942.80
	M-400N-OSY	0191079	—	3"	1	5602.10
	M-400N-OSY	0191080	—	4"	1	7355.70
	M-400N-OSY	0191081	—	6"	1	11,252.90
	M-400N-OSY	0191082	—	8"	1	18,535.70
	M-400N-OSY	0191083	—	10"	1	28,875.55
*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.						




M-400N-OSY

## REDUCED PRESSURE ZONE ASSEMBLIES

		Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
<b>REDUCED PRESSURE ZONE ASSEMBLIES - Stainless Steel Body</b>							
<b>LEAD FREE*</b>	<b>Z-Pattern with OSY resilient seated shutoff valves</b>						
	M-400Z-OSY	0191084	—	2½"	1	136	\$ 4942.80
	M-400Z-OSY	0191085	—	3"	1	161	5602.10
	M-400Z-OSY	0191086	—	4"	1	245	7355.70
	M-400Z-OSY	0191087	—	6"	1	433	11,252.90
	M-400Z-OSY	0191088	—	8"	1	643	18,535.70
	M-400Z-OSY	0191089	—	10"	1	954	28,875.55
<b>LEAD FREE*</b>	<b>With NRS resilient seated shutoff valves</b>						
	M-400-NRS	0191090	—	2½"	1	118	4286.45
	M-400-NRS	0191091	—	3"	1	134	4846.05
	M-400-NRS	0191092	—	4"	1	222	6440.10
	M-400-NRS	0191093	—	6"	1	371	9811.30
	M-400-NRS	0191094	—	8"	1	525	17,004.00
	M-400-NRS	0191095	—	10"	1	724	25,564.60
<b>LEAD FREE*</b>	<b>N-Pattern with NRS resilient seated shutoff valves</b>						
	M-400N-NRS	0191096	—	2½"	1	126	4895.45
	M-400N-NRS	0191097	—	3"	1	147	5574.90
	M-400N-NRS	0191098	—	4"	1	245	7314.95
	M-400N-NRS	0191099	—	6"	1	411	10,917.75
	M-400N-NRS	0191100	—	8"	1	601	18,095.30
	M-400N-NRS	0191101	—	10"	1	894	28,588.15
<b>LEAD FREE*</b>	<b>Z-Pattern with NRS resilient seated shutoff valves</b>						
	M-400Z-NRS	0191484	—	2½"	1	126	4895.45
	M-400Z-NRS	0191485	—	3"	1	147	5574.90
	M-400Z-NRS	0191486	—	4"	1	187	7314.95
	M-400Z-NRS	0191487	—	6"	1	317	10,917.75
	M-400Z-NRS	0191488	—	8"	1	516	18,095.30
	M-400Z-NRS	0191489	—	10"	1	893	28,588.15
<b>LEAD FREE*</b>	<b>N-Pattern with gear operator, UL/FM Butterfly valves</b>						
	M-400N-BFG	0191102	—	2½"	1	67	5345.95
	M-400N-BFG	0191103	—	3"	1	70	6005.15
	M-400N-BFG	0191104	—	4"	1	145	7758.80
	M-400N-BFG	0191105	—	6"	1	254	11,666.00
<b>LEAD FREE*</b>	<b>Z-Pattern with gear operator, UL/FM Butterfly valves</b>						
	M-400Z-BFG	0191106	—	2½"	1	67	5345.95
	M-400Z-BFG	0191107	—	3"	1	70	6005.15
	M-400Z-BFG	0191108	—	4"	1	145	7758.80
	M-400Z-BFG	0191109	—	6"	1	254	11,666.00
<b>LEAD FREE*</b>	<b>Less shutoff valves</b>						
	4000SS-LG	0690477	—	2½"	1	48	3095.00
	4000SS-LG	0690486	—	3"	1	58	3498.70
	4000SS-LG	0690495	—	4"	1	79	4991.35
	4000SS-LG	0690505	—	6"	1	140	7802.85
	4000SS-LG	0690467	—	8"	1	225	13,200.05
	4000SS-LG	0690535	—	10"	1	232	18,871.90
<b>LEAD FREE*</b>	<b>With OSY resilient seated shutoff valves</b>						
	4000SS-OSY	0690478	—	2½"	1	215	4320.90
	4000SS-OSY	0690487	—	3"	1	260	4860.15
	4000SS-OSY	0690496	—	4"	1	410	6464.75
	4000SS-OSY	0690506	—	6"	1	470	10,102.80
	4000SS-OSY	0690468	—	8"	1	732	17,398.35
	4000SS-OSY	0690536	—	10"	1	1120	25,791.20



M-400N-BFG



4000SS-OSY

\*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.

# REDUCED PRESSURE ZONE ASSEMBLIES

Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
<b>REDUCED PRESSURE ZONE ASSEMBLIES - Stainless Steel Body</b>					
<b>With NRS resilient seated shutoff valves</b>					
4000SS-NRS	0690479	2½"	1	210	\$ 4276.85
4000SS-NRS	0690488	3"	1	255	4834.85
4000SS-NRS	0690497	4"	1	337	6426.70
4000SS-NRS	0690507	6"	1	470	9790.10
4000SS-NRS	0690469	8"	1	732	16,967.20
4000SS-NRS	0690537	10"	1	1020	25,509.90
<b>†With OSY resilient seated shutoff valves - Groove Inlet x Groove Outlet</b>					
D 4000SS OSY GxG	0694000	2½"	1	215	4320.90
D 4000SS OSY GxG	0694003	3"	1	260	4860.15
D 4000SS OSY GxG	0694006	4"	1	410	6464.75
D 4000SS OSY GxG	0694009	6"	1	470	10,102.80
D 4000SS OSY GxG	0694012	8"	1	732	17,398.35
D 4000SS OSY GxG	0694015	10"	1	1120	25,791.20
<b>†With OSY resilient seated shutoff valves - Groove Inlet x Flange Outlet</b>					
D 4000SS OSY GxF	0694001	2½"	1	215	4320.90
D 4000SS OSY GxF	0694004	3"	1	260	4860.15
D 4000SS OSY GxF	0694007	4"	1	410	6464.75
D 4000SS OSY GxF	0694010	6"	1	470	10,102.80
D 4000SS OSY GxF	0694013	8"	1	732	17,398.35
D 4000SS OSY GxF	0694016	10"	1	1120	25,791.20
<b>†With OSY resilient seated shutoff valves - Flange Inlet x Groove Outlet</b>					
D 4000SS OSY FxG	0694002	2½"	1	215	4320.90
D 4000SS OSY FxG	0694005	3"	1	260	4860.15
D 4000SS OSY FxG	0694008	4"	1	410	6464.75
D 4000SS OSY FxG	0694011	6"	1	470	10,102.80
D 4000SS OSY FxG	0694014	8"	1	732	17,398.35
D 4000SS OSY FxG	0694017	10"	1	1120	25,791.20
†The backflow preventer body is always flanged					
<b>REDUCED PRESSURE ZONE ASSEMBLIES - Cast Iron Body</b>					
<b>With OSY resilient seated shutoff valves</b>					
4000CIV OSY	0388317	2½"	1	198	6593.80
4000CIV OSY	0388319	3"	1	230	7672.50
4000CIV OSY	0388372	4"	1	470	8221.55
4000CIV OSY	0388373	6"	1	798	13,085.50
4000CIV OSY	0388374	8"	1	1456	22,851.15
4000CIV OSY	0388375	10"	1	2230	32,793.15
<b>With NRS resilient seated shutoff valves</b>					
4000CIV NRS	0388316	2½"	1	195	6357.85
4000CIV NRS	0388318	3"	1	225	7179.45
4000CIV NRS	0388368	4"	1	455	7966.25
4000CIV NRS	0388369	6"	1	718	12,685.15
4000CIV NRS	0388370	8"	1	1350	22,215.65
4000CIV NRS	0388371	10"	1	2160	30,261.20
<b>Less shutoff valves</b>					
4000CIV LG	0388314	2½"	1	114	5157.90
4000CIV LG	0388315	3"	1	114	5868.45
4000CIV LG	0388364	4"	1	246	6700.75
4000CIV LG	0388365	6"	1	466	10,823.90
4000CIV LG	0388366	8"	1	836	19,167.05
4000CIV LG	0388367	10"	1	1246	25,385.70
*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.					



4000CIV NRS

## REDUCED PRESSURE DETECTOR ASSEMBLIES



C-500-OSY





C-500N-OSY

Model	Ordering Code		Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
<b>REDUCED PRESSURE DETECTOR ASSEMBLIES - Stainless Steel Body</b>						
<b>With OSY resilient seated shutoff valves</b>						
C-500-OSY-CFM/GPM	0191306	0191312	2½"	1	142	\$ 5449.00
C-500-OSY-CFM/GPM	0191307	0191313	3"	1	162	6022.40
C-500-OSY-CFM/GPM	0191308	0191314	4"	1	178	7103.65
C-500-OSY-CFM/GPM	0191309	0191315	6"	1	312	10,430.45
C-500-OSY-CFM/GPM	0191310	0191316	8"	1	497	18,555.70
C-500-OSY-CFM/GPM	0191311	0191317	10"	1	797	26,471.00
<b>N-Pattern with OSY resilient seated shutoff valves</b>						
C-500N-OSY-CFM/GPM	0191318	0191324	2½"	1	150	6001.70
C-500N-OSY-CFM/GPM	0191319	0191325	3"	1	175	6676.85
C-500N-OSY-CFM/GPM	0191320	0191326	4"	1	201	7843.15
C-500N-OSY-CFM/GPM	0191321	0191327	6"	1	353	11,626.90
C-500N-OSY-CFM/GPM	0191322	0191328	8"	1	572	20,216.90
C-500N-OSY-CFM/GPM	0191323	0191329	10"	1	964	30,229.50
<b>Z-Pattern with OSY resilient seated shutoff valves</b>						
C-500Z-OSY-CFM/GPM	0191330	0191336	2½"	1	150	6001.70
C-500Z-OSY-CFM/GPM	0191331	0191337	3"	1	175	6676.85
C-500Z-OSY-CFM/GPM	0191332	0191338	4"	1	201	7843.15
C-500Z-OSY-CFM/GPM	0191333	0191339	6"	1	353	11,626.90
C-500Z-OSY-CFM/GPM	0191334	0191340	8"	1	572	20,216.90
C-500Z-OSY-CFM/GPM	0191335	0191341	10"	1	964	30,229.50
<b>N-Pattern with gear operator, UL/FM Butterfly valves</b>						
C-500N-BFG-CFM/GPM	0191460	0191464	2½"	1	132	6901.40
C-500N-BFG-CFM/GPM	0191461	0191465	3"	1	134	7630.30
C-500N-BFG-CFM/GPM	0191462	0191466	4"	1	166	8889.95
C-500N-BFG-CFM/GPM	0191463	0191467	6"	1	285	12,987.00
<b>Z-Pattern with gear operator, UL/FM Butterfly valves</b>						
C-500Z-BFG-CFM/GPM	0191468	0191472	2½"	1	132	6901.40
C-500Z-BFG-CFM/GPM	0191469	0191473	3"	1	134	7630.30
C-500Z-BFG-CFM/GPM	0191470	0191474	4"	1	166	8889.95
C-500Z-BFG-CFM/GPM	0191471	0191475	6"	1	285	12,987.00
<b>With OSY resilient seated shutoff valves and less meter</b>						
C-500-OSY-LM	0206632	—	2½"	1	140	5339.25
C-500-OSY-LM	0206633	—	3"	1	160	5912.55
C-500-OSY-LM	0206634	—	4"	1	176	6993.95
C-500-OSY-LM	0206635	—	6"	1	310	10,320.70
C-500-OSY-LM	0206636	—	8"	1	495	18,445.95
C-500-OSY-LM	0206637	—	10"	1	795	26,361.35
<b>N-Pattern with OSY resilient seated shutoff valves and less meter</b>						
C-500N-OSY-LM	0206638	—	2½"	1	148	5886.35
C-500N-OSY-LM	0206639	—	3"	1	173	6561.45
C-500N-OSY-LM	0206640	—	4"	1	199	7727.95
C-500N-OSY-LM	0206641	—	6"	1	351	11,511.55
C-500N-OSY-LM	0206642	—	8"	1	570	20,101.70
C-500N-OSY-LM	0206643	—	10"	1	962	30,114.45
<b>Z-Pattern with OSY resilient seated shutoff valves and less meter</b>						
C-500Z-OSY-LM	0206644	—	2½"	1	148	5886.35
C-500Z-OSY-LM	0206645	—	3"	1	173	6561.45
C-500Z-OSY-LM	0206646	—	4"	1	199	7727.95
C-500Z-OSY-LM	0206647	—	6"	1	351	11,511.55
C-500Z-OSY-LM	0206648	—	8"	1	570	20,101.70
C-500Z-OSY-LM	0206649	—	10"	1	962	30,114.45

(LM) = Less Meter  
 (CFM) = Cubic Feet Meter  
 (GPM) = Gallons Per Minute Meter


## REDUCED PRESSURE DETECTOR ASSEMBLIES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
	<b>REDUCED PRESSURE DETECTOR ASSEMBLIES - Stainless Steel Body</b>						
	<b>N-Pattern with gear operator, UL/FM Butterfly valves and less meter</b>						
	C-500N-BFG-LM	0206676	–	2½"	1	130	\$ 6786.00
	C-500N-BFG-LM	0206677	–	3"	1	132	7514.85
	C-500N-BFG-LM	0206678	–	4"	1	164	8774.65
	C-500N-BFG-LM	0206679	–	6"	1	283	12,871.75
	<b>Z-Pattern with gear operator, UL/FM Butterfly valves and less meter</b>						
	C-500Z-BFG-LM	0206680	–	2½"	1	130	6786.00
	C-500Z-BFG-LM	0206681	–	3"	1	132	7514.85
	C-500Z-BFG-LM	0206682	–	4"	1	164	8774.65
	C-500Z-BFG-LM	0206683	–	6"	1	283	12,871.75
	<b>With OSY resilient seated shutoff valves</b>						
 <p style="text-align: center;">M-500-OSY</p>	M-500-OSY-CFM/GPM	0191110	0191116	2½"	1	142	6123.05
	M-500-OSY-CFM/GPM	0191111	0191117	3"	1	162	6767.55
	M-500-OSY-CFM/GPM	0191112	0191118	4"	1	236	7982.85
	M-500-OSY-CFM/GPM	0191113	0191119	6"	1	407	11,721.45
	M-500-OSY-CFM/GPM	0191114	0191120	8"	1	581	20,245.15
	M-500-OSY-CFM/GPM	0191115	0191121	10"	1	798	28,879.60
	<b>N-Pattern with OSY resilient seated shutoff valves</b>						
 <p style="text-align: center;">M-500N-OSY</p>	M-500N-OSY-CFM/GPM	0191122	0191128	2½"	1	150	6665.60
	M-500N-OSY-CFM/GPM	0191123	0191129	3"	1	175	7415.35
	M-500N-OSY-CFM/GPM	0191124	0191130	4"	1	259	8710.70
	M-500N-OSY-CFM/GPM	0191125	0191131	6"	1	447	12,912.80
	M-500N-OSY-CFM/GPM	0191126	0191132	8"	1	657	21,392.25
	M-500N-OSY-CFM/GPM	0191127	0191133	10"	1	968	31,944.60
		<b>Z-Pattern with OSY resilient seated shutoff valves</b>					
	M-500Z-OSY-CFM/GPM	0191134	0191140	2½"	1	150	6665.60
	M-500Z-OSY-CFM/GPM	0191135	0191141	3"	1	175	7415.35
	M-500Z-OSY-CFM/GPM	0191136	0191142	4"	1	259	8710.70
	M-500Z-OSY-CFM/GPM	0191137	0191143	6"	1	447	12,912.80
	M-500Z-OSY-CFM/GPM	0191138	0191144	8"	1	657	21,392.25
	M-500Z-OSY-CFM/GPM	0191139	0191145	10"	1	968	31,944.60
	<b>N-Pattern with gear operator, UL/FM Butterfly valve</b>						
	M-500N-BFG-CFM/GPM	0191146	0191150	2½"	1	81	7097.00
	M-500N-BFG-CFM/GPM	0191147	0191151	3"	1	84	7846.60
	M-500N-BFG-CFM/GPM	0191148	0191152	4"	1	159	9142.00
	M-500N-BFG-CFM/GPM	0191149	0191153	6"	1	268	13,355.10
	<b>Z-Pattern with gear operator, UL/FM Butterfly valves</b>						
	M-500Z-BFG-CFM/GPM	0191154	0191158	2½"	1	81	7097.00
	M-500Z-BFG-CFM/GPM	0191155	0191159	3"	1	84	7846.60
	M-500Z-BFG-CFM/GPM	0191156	0191160	4"	1	159	9142.00
	M-500Z-BFG-CFM/GPM	0191157	0191161	6"	1	268	13,355.10
	<b>With OSY resilient seated shutoff valves and less meter</b>						
	M-500-OSY-LM	0206650	–	2½"	1	140	6006.80
	M-500-OSY-LM	0206651	–	3"	1	160	6651.30
	M-500-OSY-LM	0206652	–	4"	1	234	7866.60
	M-500-OSY-LM	0206653	–	6"	1	405	11,605.20
	M-500-OSY-LM	0206654	–	8"	1	579	20,128.95
	M-500-OSY-LM	0206655	–	10"	1	796	28,763.35

(LM) = Less Meter  
(CFM) = Cubic Feet Meter  
(GPM) = Gallons Per Minute Meter

## REDUCED PRESSURE DETECTOR ASSEMBLIES

Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
<b>REDUCED PRESSURE DETECTOR ASSEMBLIES - Stainless Steel Body</b>						
<b>N-Pattern with OSY resilient seated shutoff valves and less meter</b>						
M-500N-OSY-LM	0206656	—	2½"	1	148	\$6547.00
M-500N-OSY-LM	0206657	—	3"	1	173	7296.90
M-500N-OSY-LM	0206658	—	4"	1	257	8592.15
M-500N-OSY-LM	0206659	—	6"	1	445	12,794.35
M-500N-OSY-LM	0206660	—	8"	1	655	21,273.85
M-500N-OSY-LM	0206661	—	10"	1	966	31,825.95
<b>Z-Pattern with OSY resilient seated shutoff valves and less meter</b>						
M-500Z-OSY-LM	0206662	—	2½"	1	148	6547.00
M-500Z-OSY-LM	0206663	—	3"	1	173	7296.90
M-500Z-OSY-LM	0206664	—	4"	1	257	8592.15
M-500Z-OSY-LM	0206665	—	6"	1	445	12,794.35
M-500Z-OSY-LM	0206666	—	8"	1	655	21,273.85
M-500Z-OSY-LM	0206667	—	10"	1	966	31,825.95
<b>N-Pattern with gear operator, UL/FM Butterfly valves and less meter</b>						
M-500N-BFG-LM	0206668	—	2½"	1	79	6978.35
M-500N-BFG-LM	0206669	—	3"	1	83	7727.90
M-500N-BFG-LM	0206670	—	4"	1	157	9023.40
M-500N-BFG-LM	0206671	—	6"	1	266	13,236.60
<b>Z-Pattern with gear operator, UL/FM Butterfly valves and less meter</b>						
M-500Z-BFG-LM	0206672	—	2½"	1	79	6978.35
M-500Z-BFG-LM	0206673	—	3"	1	82	7727.90
M-500Z-BFG-LM	0206674	—	4"	1	157	9023.40
M-500Z-BFG-LM	0206675	—	6"	1	266	13,236.60
<b>Less shutoff valves</b>						
5000SS-LG-CFM/GPM	0690990	0690538	2½"	1	76	4769.60
5000SS-LG-CFM/GPM	0690992	0690541	3"	1	80	5221.80
5000SS-LG-CFM/GPM	0690994	0690544	4"	1	82	6229.60
5000SS-LG-CFM/GPM	0690946	0690547	6"	1	120	9031.25
<b>Less meter</b>						
5000SS-LG-LM	0691567	—	2½"	1	74	4676.35
5000SS-LG-LM	0691569	—	3"	1	78	5128.40
5000SS-LG-LM	0691571	—	4"	1	80	6136.30
5000SS-LG-LM	0691553	—	6"	1	118	8938.05
<b>With OSY resilient seated shutoff valves</b>						
5000SS-OSY-CFM/GPM	0690991	0690539	2½"	1	185	5872.95
5000SS-OSY-CFM/GPM	0690993	0690542	3"	1	220	6490.80
5000SS-OSY-CFM/GPM	0690995	0690545	4"	1	325	7656.40
5000SS-OSY-CFM/GPM	0690996	0690548	6"	1	480	11,241.90
<b>Less meter</b>						
5000SS-OSY-LM	0691568	—	2½"	1	183	5779.60
5000SS-OSY-LM	0691570	—	3"	1	218	6397.65
5000SS-OSY-LM	0691572	—	4"	1	323	7562.75
5000SS-OSY-LM	0691560	—	6"	1	478	11,148.50




5000SS-OSY

(LM) = Less Meter  
 (CFM) = Cubic Feet Meter  
 (GPM) = Gallons Per Minute Meter

## REDUCED PRESSURE DETECTOR ASSEMBLIES





Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
<b>REDUCED PRESSURE DETECTOR ASSEMBLIES - Stainless Steel Body</b>						
<b>*With OSY resilient seated shutoff valves - Groove Inlet x Flange Outlet</b>						
D 5000SS OSY GxG CFM/GPM	0694019	0694022	2½"	1	185	\$5872.95
D 5000SS OSY GxG CFM/GPM	0694025	0694028	3"	1	220	6490.80
D 5000SS OSY GxG CFM/GPM	0694031	0694034	4"	1	325	7656.40
D 5000SS OSY GxG CFM/GPM	0694037	0694040	6"	1	480	11,241.90
<b>*With OSY resilient seated shutoff valves - Flange Inlet x Groove Outlet</b>						
D 5000SS OSY FxG CFM/GPM	0694020	0694023	2½"	1	185	5872.95
D 5000SS OSY FxG CFM/GPM	0694026	0694029	3"	1	220	6490.80
D 5000SS OSY FxG CFM/GPM	0694032	0694035	4"	1	325	7656.40
D 5000SS OSY FxG CFM/GPM	0694038	0694041	6"	1	480	11,241.90
*The backflow preventer body is always flanged.						
<b>CAST IRON BODIES EPOXY COATED</b>						
<b>With OSY resilient seated shutoff valves</b>						
5000CIV-OSY-CFM/GPM	0388332	0388333	2½"	1	250	9442.25
5000CIV-OSY-CFM/GPM	0388334	0388335	3"	1	250	10,523.20
5000CIV-OSY-CFM/GPM	0388336	0388337	4"	1	490	11,334.10
5000CIV-OSY-CFM/GPM	0388338	0388339	6"	1	820	16,333.75
5000CIV-OSY-CFM/GPM	0388340	0388341	8"	1	1656	28,740.20
5000CIV-OSY-CFM/GPM	0388342	0388343	10"	1	2250	38,469.50
<b>Less shutoff valves</b>						
5000CIV-LG-CFM/GPM	0388320	0388321	2½"	1	162	6949.30
5000CIV-LG-CFM/GPM	0388322	0388323	3"	1	162	7877.30
5000CIV-LG-CFM/GPM	0388324	0388325	4"	1	385	8941.10
5000CIV-LG-CFM/GPM	0388326	0388327	6"	1	819	12,955.40
5000CIV-LG-CFM/GPM	0388328	0388329	8"	1	919	23,109.80
5000CIV-LG-CFM/GPM	0388330	0388331	10"	1	1784	29,460.55



5000CIV-OSY

(LM) = Less Meter  
 (CFM) = Cubic Feet Meter  
 (GPM) = Gallons Per Minute Meter

# DUAL CHECK VALVES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 20   L20   Cu20   20S	<b>DUAL CHECK VALVES</b>						
	20 U2-2	0085600	–	¾" x ¾"	12	20	\$ 128.50
	20 10-U2	0085601	–	1" x ¾"	12	20	144.60
	20 U2-2	0085602	–	1" x 1"	12	20	141.65
	20 U2-2	0085603	–	½" x ½"	12	20	119.65
	20 U4-5	0085604	–	1" x 1"	12	20	151.65
	20 U4-3	0085605	–	1" x ¾"	12	20	138.05
	<b>DUAL CHECK VALVES - IN-LINE TESTABLE</b>						
	L20 U2-2	0085607	–	¾"	6	18	163.55
	L20 U2-2	0085608	–	1"	6	18	169.50
	<b>COPPER DUAL CHECK VALVES</b>						
	Cu20 U2-U2	0085609	–	½" x ½"	12	20	139.65
	Cu20 U2-U2	0085610	–	¾" x ¾"	12	20	161.60
	Cu20 U2-U2	0085611	–	1" x 1"	12	20	220.40
	<b>RESIDENTIAL FIRE LINE DUAL CHECK VALVES</b>						
	20S	0085612	–	1"	12	20	207.45

# MISCELLANEOUS BACKFLOW PRODUCTS

Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
<b>ATMOSPHERIC VACUUM BREAKERS</b>						
A100AVB	0336460	–	¾"	24	\$ 63.40	
A100AVB	0336461	–	1"	12	88.20	
A100AVB	0336462	–	1½"	6	162.80	
A100AVB	0336463	–	2"	6	214.80	
<b>PRESSURE VACUUM BREAKERS</b>						
A200PVB	0387230	–	¾"	1	275.80	
A200PVB	0387231	–	1"	1	285.70	
A200PVB	0387232	–	1½"	1	666.40	
A200PVB	0387233	–	2"	1	708.65	
<b>IRRIGATION GALVANIZED SWING SPRING CHECK VALVE</b>						
<b>Flanged end connections</b>						
FFF	0690233	–	3"	1	15.5	380.80
FFF	0690234	–	4"	1	23	461.40
FFF	0690235	–	5"	1	27.5	496.15
FFF	0690236	–	6"	1	33	510.15
FFF	0690237	–	8"	1	50.5	539.95
FFF	0690238	–	10"	1	70.5	694.60
FFF	0690239	–	12"	1	99	1047.70
<b>Plain end connections</b>						
FPP	0690220	–	3"	1	6.5	265.30
FPP	0690221	–	4"	1	9	299.95
FPP	0690222	–	5"	1	14	357.65
FPP	0690223	–	6"	1	17.5	380.80
FPP	0690224	–	8"	1	26	392.20
FPP	0690225	–	10"	1	42	507.65
<b>ANTI-SIPHON CHECK VALVES</b>						
ASCV	0690287	–	3"	1	20	837.70
ASCV	0690288	–	4"	1	27	1041.75
ASCV	0690284	–	6"	1	40	1276.95
ASCV	0690285	–	8"	1	58	1444.85
ASCV	0690286	–	10"	1	79	1713.90
ASCV	0690289	–	12"	1	108	1872.95
<b>HYDRANT METER BACKFLOW</b>						
6000 HMB	0690618	–		1	120	6673.20
6000 HMB CFM	0692541	–		1	120	6673.20
+4000 BLT - backflow large thread	0690619	–		1	211	3766.60
†Various end configurations available. Contact factory for price and availability.						
*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.						



A100



A200



FFF



ASCV







4000 BLT

LEAD FREE\*



LEAD FREE\*

LEAD FREE\*

# MISCELLANEOUS PRODUCTS

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 <p>8000-F</p>  <p>8000-G</p>  <p>A777SI</p>  <p>7001 FLG</p>	<b>WYE STRAINERS</b>						
	<b>Stainless Steel with Flange end connections</b>						
	LEAD FREE*	8000-F	0690192	–	2½"	1	\$ 460.70
		8000-F	0690193	–	3"	1	510.50
		8000-F	0690194	–	4"	1	584.55
		8000-F	0690196	–	6"	1	830.80
		8000-F	0690197	–	8"	1	1433.10
		8000-F	0690198	–	10"	1	2216.75
		8000-F	0690199	–	12"	1	3548.85
	LEAD FREE*	<b>Stainless Steel with Groove end connections</b>					
		8000-G	0690858	–	2½"	1	391.90
		8000-G	0690859	–	3"	1	434.45
		8000-G	0690860	–	4"	1	492.70
		8000-G	0690862	–	6"	1	925.30
	8000-G	0690863	–	8"	1	1267.40	
	8000-G	0690864	–	10"	1	1932.35	
	8000-G	0690865	–	12"	1	3112.50	
LEAD FREE*	<b>Bronze Wye-Pattern Strainers</b>						
	A777SI	0380001		½"	96	48.25	
	A777SI	0380002		¾"	72	58.95	
	A777SI	0380003		1"	36	70.45	
	A777SI	0380004		1¼"	18	89.00	
	A777SI	0380005		1½"	18	122.15	
	A777SI	0380006		2"	8	186.25	
<b>BASKET STRAINER</b>							
<b>Fabricated Steel Epoxy lined and coated Fire Service Strainer. UL/FM</b>							
<b>With one clean out port available with Flange end connections or Groove end connection.</b>							
LEAD FREE*	7001 1 CO FLG/GRV	0690894	0690977	3"	1	5664.30	
	7001 1 CO FLG/GRV	0690893	0690976	4"	1	5816.45	
	7001 1 CO FLG/GRV	0690892	0690975	6"	1	8353.60	
	7001 1 CO FLG/GRV	0690891	0690974	8"	1	10,505.30	
LEAD FREE*	<b>With two clean out port available with Flange end connections or Groove end connection.</b>						
	7002 2 CO FLG/GRV	0691006	0691051	3"	1	5664.30	
	7002 2 CO FLG/GRV	0691004	0691049	4"	1	5816.45	
	7002 2 CO FLG/GRV	0691003	0691048	6"	1	8353.60	
	7002 2 CO FLG/GRV	0691002	0691047	8"	1	10,505.30	
	7002 2 CO FLG/GRV	0691005	0691050	10"	1	13,376.75	
*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.							

# ACCESSORIES

	Model	Ordering Code	Size	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
 <p>Splash Guard</p> <p>Air Gap</p>	<b>AIR GAP DRAINS</b>						
	¾" - 1" 400B AG	0064661	-	1	-	\$ 59.65	
	1 ¼" - 2" 400B AG	0064662	-	1	-	121.30	
	½", ¾" 4000B	7014267	-	1	-	50.50	
	1", 1¼", 1½" 4000B	0691853	-	1	-	62.60	
	2" 4000B	0691866	-	1	-	127.35	
	2½" - 6" 4000SS Vertical	0690511	-	1	-	682.65	
	2½" - 10" 4000SS Plastic	0691842	-	1	-	162.50	
	3" - 6" 4001/5001	7014384	-	1	-	315.40	
	4000RP/5000RPDA (Epoxy)	7011361	-	1	-	702.80	
	4" - 10" 4000CIV	7017299	-	1	-	257.35	
	Air Gap, Splash Guard (C-400/M-400, C-500/M-500)	7018367	-	1	-	168.00	
	Splash Guard (only)	7018894	-	1	-	49.85	
 <p>TC</p>	<b>ELBOWS</b>						
	4000B	7012798	-	½", ¾"	1	35.55	
	4000B	7012799	-	1", 1¼", 1½"	1	38.55	
	4000B	7016586	-	2"	1	74.55	
	‡Stainless Steel Elbow Kits for N & Z pattern valves	0691878	-	3"	1	535.55	
		0691879	-	4"	1	1075.30	
		0691880	-	6"	1	1839.75	
		0691881	-	8"	1	2625.05	
	‡Kits include: (2) Elbows, Nut, Bolts, Gaskets and Ring Gaskets.						
	<b>TEST COCKS - All Bronze</b>						
SAE-TC/Ames	7017248	-	⅛"	1	-	\$ 24.85	
RK SAE-TC/Ames	7017249	-	⅛"	1	-	12.60	
TC/Ames	7017250	-	⅛"	1	-	25.45	
TC/Ames	7017251	-	¼"	1	-	25.45	
TC for Colt/Maxim	7018394	-	½"	1	-	49.05	
TC for Colt/Maxim	7018395	-	¾"	1	-	61.20	
ARK TC/Ames-P	7017626	-	⅛" - ¼"	1	-	1.50	
Plastic cap & tether							
SAE-TC Adapter/Ames	7017627	-	¼"	1	-	26.65	
<b>TEST KIT</b>							
ATG-1	0385502	-		1	8	2358.95	
<b>METERS</b>							
⅝ x ¾ - Cubic Feet	7011171	-		1	-	243.50	
⅝ x ¾ - Gallons Per Minute	7011172	-		1	-	243.50	
⅝ x ½ CFM - Badger	7017978	-		1	-	243.50	
⅝ x ½ GPM - Badger	7017979	-		1	-	243.50	
<b>REMOTE OUTSIDE METER - Badger</b>							
ROM DC/RP CFM-B	7018895	-		1	-	665.05	
ROM DC/RP GPM-B	7018896	-		1	-	665.05	
ROM includes 10' wire							
<b>SPOOLS AND FLANGES FOR RETROFITTING BACKFLOW PREVENTERS</b>							
Spools available in sizes: 2½" x 1⅞" - 10" x ½"							
Flanges available in sizes: 2" x ¼" - 10" x ½"							
Contact your local Ames Agent for ordering information and pricing.							
*The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.							
**Kits not available for Butterfly Valve units							

# For Technical Assistance Call Your Authorized Ames Representative.

			Telephone	E-mail
	<b>HEADQUARTERS:</b> Ames Fire and Waterworks 1427 North Market Blvd., Suite #9, Sacramento, CA 95834		916 928-0123	ames@wattswater.com
<b>North East</b>	Edwards, Platt & Deely, Inc.	277 Royal Ave., Hawthorne, NJ 07506	973 427-2898	p044@watts.com
	Edwards, Platt & Deely, Inc.	368 Wyandanch Ave., North Babylon, NY 11703	631 253-0600	p073@watts.com
	Vernon Bitzer Associates, Inc.	980 Thomas Drive, Warminster, PA 18974	215 443-7500	p009@watts.com
	W. P. Haney Company, Inc.	51 Norfolk Ave., South Easton, MA 02375	508 238-2030	p088@watts.com
<b>Mid Atlantic</b>	Disney McLane & Associates	428 McGregor Ave., Cincinnati, OH 45206	800 542-1682	p017@watts.com
	J. B. O'Connor Company, Inc.	P.O. Box 12927, Pittsburgh, PA 15241	724 745-5300	p047@watts.com
	RMI	2533 Mechanicsville Tpk., Richmond, VA 23223	804 643-7355	rmi@ricmrk.com
	The Joyce Agency, Inc.	8442 Alban Rd., Springfield, VA 22150	703 866-3111	p069@watts.com
	WMS Sales, Inc. (Main office)	9580 County Rd., Clarence Center, NY 14032	716 741-9575	p091@watts.com
<b>South East</b>	Billingsley & Associates, Inc.	2728 Crestview Ave., Kenner, LA 70062-4829	504 602-8100	p013@watts.com
	Billingsley & Associates, Inc.	478 Cheyenne Lane, Madison, MS 39110	601 856-7565	ckenny@billingsley.com
	Mid-America Marketing, Inc.	203 Industrial Drive, Birmingham, AL 35211	205 879-3469	p032@watts.com
	Mid-America Marketing, Inc.	2611 Grandview, Nashville, TN 37211	615 259-9944	john@midamericamktg.com
	Mid-America Marketing, Inc.	5466 Old Hwy. 78, Memphis, TN 38118	901 795-0045	sales@midamericamktg.com
	Smith & Stevenson Co., Inc.	4935 Chastain Ave., Charlotte, NC 28217	704 525-3388	p003@watts.com
	Wager Company	720-B Industry Rd., Longwood, FL 32750	407 834-4667	dfreda@wagerco.com
	Watts Georgia	2861-B Bankers Industrial Drive, Atlanta, GA 30360	770 209-3310	p059@watts.com
<b>North Central</b>	C.B. Marketing	12607 S. Laramie Ave. Alsip, IL 60803	708 389-5600	bjonas@backflow.com
	Dave Watson Associates	1325 West Beecher, Adrian, MI 49221	517 263-8988	p085@watts.com
	Mid-Continent Marketing Services Ltd.	1275 Lakeside Drive, Romeoville, IL 60446	630 953-1211	p072@watts.com
	Soderholm & Associates, Inc.	7150 143rd Ave. N.W., Anoka, MN 55303	763 427-9635	company@soderholmrep.com
	Stickler & Associates	203 S. Curtis Rd., Milwaukee, WI 53214	414 771-0400	sales@sticklerassociates.com
<b>South Central</b>	Hugh M. Cunningham, Inc.	13755 Benchmark, Dallas, TX 75234	972 888-3808	p031@watts.com
	Sandia Group, Inc.	3167 San Mateo #308, Albuquerque, NM 87110	800 339-0191	p031@watts.com
	Mack McClain & Associates, Inc.	4407 Meramec Bottom, Suite G, St. Louis, MO 63129	314 894-8188	p045@watts.com
	Mack McClain & Associates, Inc.	1450 NE 69th Place, Ste. 56 Ankeny, IA 50021	515 288-0184	p049@watts.com
	Mack McClain & Associates, Inc.	15090 West 116th St., Olathe, KS 66062	913 339-6677	p083@watts.com
	OK! Sales, Inc.	214 NE 12th. St., Ste A, Moore, OK 73160	405 794-5200	oksales@coxinet.net
<b>Western</b>	Delco Sales, Inc.	1930 Raymer Ave., Fullerton, CA 92833	714 888-2444	sales@delcosales.com
	Delco Sales, Inc.	111 Sand Island Access Rd., Unit I-4, Honolulu, HI 96819	808 842-7900	p021@watts.com
	Hollabaugh Brothers & Associates	6915 South 194th St., Kent, WA 98032	253 867-5040	p001@watts.com
	Hollabaugh Brothers & Associates	3028 S.E. 17th Ave., Portland, OR 97202	503 238-0313	p006@watts.com
	P I R Sales, Inc.	3050 North San Marcos Place, Chandler, AZ 85225	480 892-6000	sales@pirsales.com
	REPCOR	2455 Mercantile Drive, Ste.100, Rancho Cordova, CA 95742	916 386-2233	sales@repor1.com
	Rep Masters, Inc.	6255 Dexter St., Commerce City, CO 80022	303 286-7575	blrichards@repmasters.com
<b>Canada</b>	Watts Water Technologies (Canada) Inc.	5435 North Service Road, Burlington, Ontario L7L 5H7	905 332-4090	info@wattscanada.ca
	Con-Cur West Marketing, Inc.	71B Clipper Street, Coquitlam, British Columbia V3K 6X2	604 540-5088	dconte@concurwest.com
	D.C. Sales Ltd.	#13-6130 4th St. S.E., Calgary, Alberta T2H 2B6	403 253-6808	barry.graham@dcsalesltd.com
	D.C. Sales Ltd.	16726 111 Ave, Edmonton, Alberta T5M 2S6	780 496-9495	barry.graham@dcsalesltd.com
	GTA Sales Team.	Greater Toronto Area	888 208-8927	gtsales@wattscanada.ca
	Hydro-Mechanical Sales, Ltd.	3700 Joseph Howe Drive, Suite 1, Halifax, Nova Scotia B3L 4H7	902 443-2274	jeff@hydromechanical.ca
	Hydro-Mechanical Sales, Ltd.	P.O. Box 1445 (Mailing), 297 Collishaw St., Suite 7 (shipping) Moncton, New Brunswick E1C 9R2		
	J.D.S. Sales Ltd.	4 Lancaster Street, St. John's, Newfoundland A1A 5P7	506 859-1107	mark@hydromechanical.ca
	Les Ent. Roland Lajoie	6221 Marivaux, St-Leonard, QC H1P 3H6	709 579-5771	jds@nf.sympatico.ca
	Les Ent. Roland Lajoie	23 du Buisson, Pont Rouge, QC G3H 1X9	514 328-6645	info@ent-lajoie.com
	Mar-Win Agencies, Ltd.	1333 Clifton St., Winnipeg, Manitoba R3E 2V1	418 873-2500	strudel@ent-lajoie.com
Northern Mechanical Sales	P.O. Box 280 (mailing) 163 Pine St. (shipping), Garson, Ontario P3L 1S6	204 775-8194	marwin@mts.net	
	Palser Enterprises, Ltd.	P.O. Box 28136 (mailing), 1885 Blue Heron Dr., #4, London, Ontario N6H 5L9	705 693-2715	normec@sympatico.ca
	RAM Mechanical Marketing Inc.	905 Winnipeg Street, Regina, Saskatchewan S4R 1J1	519 471-9382	sales@palserent.com
	RAM Mechanical Marketing Inc.	510 Ave M South, Saskatoon, Saskatchewan S7M 2K9	306 525-1986	ram@accesscomm.ca
	Walmar Mechanical Sales	24 Gurdwara Rd., Nepean, Ontario K2E 8B5	306 244-6622	info@rammarketing.ca
			613 225-9774	chrisbrown@walmar.net

1116



www.amesfirewater.com



A Watts Water Technologies Company

USA: **Backflow-** Sacramento, CA • Tel. (916) 928-0123 • Fax (916) 928-9333

**Control Valves-** Houston, TX • Tel. (713) 943-0688 • Fax (713) 944-9445

**Canada:** Burlington, ON • Tel. (905) 332-4090 • Fax (905) 332-7068